

Standard price guide

1st August 2011

Standard price guide 1st August 2011

Contents:

Opening hours		Page 3
Aggregates	Single size aggregate	Page 4
	Graded aggregate	
	Fill material	
	Bagged aggregates	Page 5
	Recycled aggregate	Page 6
	Imported aggregate	
	Blended aggregate	
Precast products	7.3 N/mm ² standard blocks	Page 7
	10.4 N/mm ² high crush blocks	
	22.5 N/mm ² high crush blocks	
	7.3 N/mm ² lightweight leca blocks	Page 8
	H.T. Slabs	
	Kerbs, channels and edgings	
	Vardex split facing blocks	Page 9
	Prestressed lintels	
Ready-mixed concrete	Floor screeds	Page 10
	Nominal mixes	
	Designed mixes	Page 11
	States class mixes	Page 12
	Special mixes	
Guidance on the selection of designated concrete	Unreinforced foundations	Page 13
	General applications	
	Floors	
Selection of consistence	Different uses of in-situ concrete	Page 14

E&OE

Ronez Limited
Les Vardes Quarry
St Sampsons
Guernsey GY2 4TF

Tel: +44 (0)1481 256426
Fax: +44 (0)1481 250622

Standard price guide 1st August 2011

Contents:

New designated mix designs	S2 consistence S3 consistence	Page 15
Sundries	Cavity wall insulation Miscellaneous	Page 16
Delivery zones	Reference map	Page 17

E&OE

Ronez Limited
Les Vardes Quarry
St Sampsons
Guernsey GY2 4TF

Tel: +44 (0)1481 256426
Fax: +44 (0)1481 250622

Standard price guide 1st August 2011

Opening hours:

Department	Materials available	Weighbridge open
Sales and distribution office		7:30am to 5:00pm Monday to Friday
	Orders for any materials requiring delivery	
Les Vardes Quarry	7:30am to 4:00pm Monday to Friday (unless by prior arrangement)	7:00am to 5:00pm Monday to Friday
	Loose aggregates and fill materials	
Monmains Yard	7:30am to 4:00pm Monday to Friday (unless by prior arrangement)	7:00am to 4.15pm Monday to Friday
	Precast products, bagged aggregates, recycled materials	
Premix dept	7.30am to 3.45pm Monday to Friday (unless by prior arrangement)	7:00am to 4.00pm Monday to Friday
	Ready-mixed concrete	

While every care has been taken to ensure that the details in this price guide are correct, Ronez Limited cannot accept responsibility for the result of any errors. Ronez Limited reserves the right to alter prices without prior notice.

Unless otherwise stated all prices quoted are ex-works and subject to a 2.5% settlement discount which may only be taken if payment is received no more than 28 days (strictly) following the end of the month in which materials were purchased.

E&OE

All goods and services are sold subject to our conditions of sale, copies of which are available on request and displayed at our weighbridges.

Please call if materials are required to be collected or delivered outside normal working hours. While we shall endeavor to meet your requirements, please note that Ronez Limited reserves the right to charge for the overtime element of any additional labour costs incurred.

While we make every effort to maintain adequate stocks of our materials, we are unable to guarantee the availability of all products. Please call at your earliest opportunity to discuss requirements.

To order all materials please call or fax our sales and distribution office on:

Tel: (01481) 250656

Fax: (01481) 250622

To order ready mixed concrete please call:

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Aggregates: single size, graded and fill material

		£/tonne
Single size aggregate	75mm single size aggregate	£22.57
	40mm single size aggregate	£23.92
	20mm single size aggregate	£25.03*
	10mm single size aggregate	£28.43*
	6mm single size aggregate	£26.10*
<hr/>		
Graded aggregate	325mm crusher run	£22.22
	75mm - dust	£22.64
	MOT clause 803 sub-base	£23.85
	20mm - dust aggregate	£25.05
	Granite sand	£26.50*
	Stoney base course	£17.99
<hr/>		
Fill material	Random builders stone	£30.58
	Rockery stone	£32.21
	Top soil	£12.10
<hr/>		
Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
	Large tipper	£44.85 per hour nett

*All marked products are also available loose from Monmains Yard, subject to a surcharge of £2.92 per tonne to cover the cost of transport from Les Vardes Quarry.

E&OE

To order all materials please call or fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Aggregates: bagged 25kgs, jumbo bags

Bagged material			
	Kiln dried sand	£3.99 nett	Per 25kg bag
	20mm all in aggregate	£2.14 nett	Per 25kg bag
	10mm all in aggregate	£2.23 nett	Per 25kg bag
	Single size chippings and granite sand	£1.93 nett	Per 25kg bag
	G P sand	£2.37 nett	Per 25kg bag
	20mm chard gravel	£2.53 nett	Per 25kg bag
	10mm marine dredged path gravel	£2.79 nett	Per 25kg bag
	Cement	£5.46 nett	Per 25kg bag

		£/tote
Jumbo bags	Granite sand	£41.74 nett
Jumbo bags can be filled with alternative materials on request however, a £13.89 bagging charge will be applied	6mm granite aggregate	£39.06 nett
	10mm granite aggregate	£42.57 nett
	20mm granite aggregate	£39.62 nett
	Kiln dried sand	£110.34 nett
	10mm - sand graded aggregate	£46.38 nett
	20mm - sand graded aggregate	£45.68 nett
	10mm - dust aggregate	£41.75 nett
	20mm - dust aggregate	£40.81 nett
	10mm marine dredged path gravel	£65.23 nett
	20mm chard gravel	£51.82 nett
	G P sand	£55.09 nett

Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
For zones see Page 13	Zone 1	£51.75 per delivery
Mechanical grab truck	Zone 2	£75.04 per delivery
	Zone 3	£98.33 per delivery

E&OE

To order all materials please call or fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Aggregates: recycled, imported and blended

		£ per tonne
Recycled aggregate Materials suitable for recycling are accepted at Monmains Yard. For further details please contact Dave Shorto on 07781 411452	40 to 15mm aggregate	£17.65
	90 to 40mm aggregate	£16.45
	15mm down aggregate	£15.97
	40mm down aggregate	£16.86
	90mm down aggregate	£16.02
	Fine fill material	£Free
	Recycled granite	£31.61
<hr/>		
Imported aggregates We are able to import a range of additional aggregates. For further information please contact Dave Shorto 07781 411452	10mm marine dredged path gravel	£50.55 nett
	20mm chard gravel	£34.53 nett
	G P sand	£37.46 nett
<hr/>		
Blended aggregates	20mm down to G P sand	£31.63
	10mm down to G P sand	£33.56
<hr/>		
Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
	Large tipper	£44.85 per hour nett

E&OE

To order all materials please call or fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Precast products: standard and high crush blocks

		£ per 100
7.3 N/mm² standard blocks	65 x 100 x 215mm, brick	£35.14
	75 x 215 x 440mm	£112.15
	100 x 215 x 440mm	£121.61
	140 x 215 x 440mm	£174.44
	100 x 140 x 440mm	£109.17
	140 x 140 x 440mm	£133.21
	300 x 140 x 250mm	£146.50
	100 x 215 x 440mm frogless	£121.61
	100 x 215 x 440mm, cavity closure	£157.48
	100 x 215 x 220mm, half cavity closure	£219.08
	100 x 215 x 440mm, fair faced	£129.68
	140 x 215 x 440mm, fair faced	£180.69
<hr/>		
10.4 N/mm² high crush blocks	100 x 215 x 440mm	£132.12
	Colour coded Brown. Made to order 140 x 215 x 440mm	£180.26
<hr/>		
22.5 N/mm² high crush blocks	65 x 100 x 215mm, brick	£54.26
	Colour coded Pink 100 x 215 x 440mm	£168.25
	140 x 215 x 440mm	£211.23
	100 x 140 x 440mm	£138.85
	140 x 140 x 440mm	£175.10
<hr/>		
Megablocks	Large	£170.00 per block
	Small	£120.00 per block
<hr/>		
Delivery For zones see page 13 mechanical grab truck	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
	Zone 1	£51.75 per delivery
	Zone 2	£75.04 per delivery
	Zone 3	£98.33 per delivery

E&OE

To order all materials please call or
fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Precast products: lightweight blocks, H.T. slabs, kerbs, channels, edgings

		£ per 100	
7.3 N/mm² lightweight leca blocks	65 x 100 x 215mm brick	£61.27	
	100 x 215 x 440mm	£168.94	
	140 x 215 x 440mm	£246.27	
	100 x 140 x 440mm	£134.39	
	140 x 140 x 440mm	£174.19	
<hr/>			
H.T slabs (cable blocks)	75 x 175 x 440mm	£123.81	
<hr/>			
		Natural	Blue
		£ each	£ each
Kerbs	125 x 250 x 440mm straight	£4.30	£4.48
	Gate kerbs	£7.23	£7.53
	300 x 300 x 250mm quadrants	£12.91	£13.53
<hr/>			
		Natural	Coloured
		£ each	£ each
Pressed edgings	58 x 150 x 440mm	£1.67	£1.93
Pressed edgings are available coloured	58 x 225 x 440mm	£2.06	£2.70
Red, Marigold, Blue and Natural	58 x 225 x 900mm	£4.36	£5.31
<hr/>			
Bullnose edge bricks	65 x 100 x 210mm	£0.85	
<hr/>			
Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett	
For zones see page 13	Zone 1	£51.75 per delivery	
mechanical grab truck	Zone 2	£75.04 per delivery	
	Zone 3	£98.33 per delivery	

E&OE

To order all materials please call or
fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Precast products: Vardex split facing blocks and prestressed lintels

		Coloured per 100
Vardex split facing blocks	100 x 215 x 440mm	£322.62
Available coloured Red, Marigold and Blue. Vardex blocks are now made to order. Additional sizes on request. Please contact Dave Shorto to discuss your requirements on 07781 411452	100 x 140 x 440mm	£232.52
	100 x 65 x 440mm	£137.26
	100 x 65 x 215mm rustic bricks	£92.05

Prestressed lintels		£ each
CPSL 1700900	70 x 100 x 900mm	£6.76
CPSL 1701200	70 x 100 x 1200mm	£9.03
CPSL 1701350	70 x 100 x 1350mm	£10.16
CPSLINT 0900	100 x 140 x 900mm	£12.05
CPSLINT 1200	100 x 140 x 1200mm	£16.08
CPSLINT 1500	100 X 140 X 1500mm	£20.09
CPSLINT 1800	100 x 140 x 1800mm	£24.12
CPSLINT 2100	100 x 140 x 2100mm	£28.13
CPSLINT 2400	100 x 140 x 2400mm	£32.15

Delivery	Zone 1	£51.75 per delivery
For zones see page 13	Zone 2	£75.04 per delivery
mechanical grab truck	Zone 3	£98.33 per delivery

E&OE

To order all materials please call or
fax our sales and distribution office on

Tel: (01481) 250653

Fax: (01481) 250622

Standard price guide 1st August 2011

Ready-mixed concrete: floor screeds, nominal mixes

Floor screed price conversion 2.0T per m³

		£\m ³
Ready-mixed floor screeds	1:3	£167.19
Floor screeds contain all GP sand	1:4	£157.23
	1:6	£151.09
	1:8	£145.79
	1:2:2 granolithic	£164.55
	E:O for floor screed with poly fibres	£6.72

Nominal ready-mixed concrete price conversion 2.4T per m³

	Aggregate size:	CEM1 10mm £/m ³	CEM1 20mm £/m ³
Nominal ready-mixed concrete			
Nominal mixes contain a blend of crushed rock sand and GP sand and are mixed to an S2 consistency (50-90mm slump)	4:1	£139.36	£135.15
	5:1	£133.00	£128.53
	6:1	£128.56	£123.97
	7:1	£126.54	£122.19
These mixes are available on request with all GP sand for an additional surcharge of £8.00 per m ³ .	8:1	£121.81	£117.61
	9:1	£120.54	£116.10
	10:1	£119.27	£114.68
	12:1	£119.03	£114.44
	15:1	£118.64	£114.18
	20:1	£116.10	£111.51

Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
	Mixer truck (in loads 3 or 4.2m ³ maximum)	£59.75 per hour nett

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Ready-mixed concrete: designed mixes

Designed ready-mixed concrete price conversion 2.4T per m³

	Aggregate size:	CEMIIIB-V 10mm £/m ³	CEMIIIB-V 20mm £/m ³	CEMIIIB-V Pump 10mm £/m ³	CEMII-BV Pump 20mm £/m ³
Designed mixes					
Designed mixes contain plasticiser and a blend of crushed rock sand and GP sand.	Grade C45 C35/45	£155.75	£150.78	£157.45	£153.18
	Grade C40 C32/40	£153.35	£148.38	£155.56	£151.29
	Grade C35 C28/35	£151.84	£146.87	£154.29	£150.04
Descriptions have been amended where appropriate to reflect BS EN206 naming conventions which include both the cylinder and cube strength of the supplied mix.	Grade C30 C25/30	£149.42	£144.47	£152.65	£148.38
	Grade C25 C20/25	£148.17	£143.08	£151.65	£147.37
	Grade C20 C16/20	£146.51	£141.57	£150.42	£146.05
	Grade C15 C12/15	£145.74	£139.91		
	Grade C10 C8/10	£142.34	£137.37		
Mixes are available on request with GP sand at an additional surcharge of £8.00 per m ³ .	Grade C7 C6/8	£140.20	£135.23		

Delivery

Mixer truck (in loads 3 or 4.2m ³ maximum)	£59.75 per hour nett
Concrete pump	£122.35 per hour nett
Concrete pump travel and set-up	£73.39 per hour nett

Note: Designed concrete is supplied to a nominal consistency of S2 (50-90mm slump) or to S3 (100-150mm slump) in the case of pumped mixes. Designed concrete may be supplied at higher workabilities but prices may increase due to the additional cement required to maintain strengths. Please contact us to discuss your specification requirements; they may necessitate changes to our standard mix designs.

For further information please contact Mark De Carteret 01481 201312.

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Ready-mixed concrete: foamed concrete

Designed ready-mixed concrete price conversion 2.4T per m³

		£/m ³
Special mixes	Foamed concrete - density 1.30 tonnes per m ³	£119.85
	Labour on site will be charged at £30.20 per hour	
	Darafill – density 1.90 tonnes per m ³	£112.11
	Self compacting concrete is available on request	
<hr/>		
Exposed aggregate (Alderney gravel type)		
6 – 1 Exposed aggregate		£195.02 m ³
8 – 1 Exposed aggregate		£188.02 m ³
6 – 1 Exposed aggregate Marigold pigment		£202.40 m ³
8 – 1 Exposed aggregate Marigold pigment		£196.39 m ³
<hr/>		
Delivery	Tipper truck (in loads, 8.5 tonnes maximum)	£31.78 per hour nett
	Mixer truck (in loads 3 or 4.2m ³ maximum)	£59.75 per hour nett
<hr/>		

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Guidance on the selection of designated concrete in housing and other applications - BS EN 8500-1

	Application	Designated concrete	Recommended consistence class
Unreinforced foundations and associated works	Blinding and mass concrete fill	GEN 1	S3
	Strip footings	GEN 1	S3
	Mass concrete foundations	GEN 1	S3
	Trench fill foundations	GEN 1	S4
	Drainage works to give immediate support	GEN 1	S1
	Other drainage works	GEN 1	S3
	Oversite below suspended slab	GEN 1	S3
Unreinforced foundations requiring DC-2 to DC-4 concrete	DC-2	FND2	S3
	DC-2z	FND2Z	S3
	DC-3	FND3	S3
	DC-3z	FND3Z	S3
	DC-4	FND4	S3
	DC-4z	FND4Z	S3
	DC-4m	FND4M	S3
General applications	Kerb bedding & backing	GEN0	S1
Floors	House floors with no embedded metal -		
	• Permanent finish added e.g a screed or floating floor	GEN1	S2
	• No permanent finish to be added e.g carpeted	GEN2	S2
	Garage floors with no embedded metal	GEN3	S2
	Wearing surface: Light foot and trolley traffic	RC25/30	S2
	Wearing surface: general industrial	RC32/40	S2

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Selection of consistence

The selection of fresh concrete should be suitable for the conditions of handling and placing so that after compaction, concrete surrounds all reinforcement, tendons and ducts and completely fills the formwork. The table below gives guidance on the consistence expressed as slump [S (number)] classes appropriate to different uses. Where a concrete is to be laid on a slope, a lower slump class than that given in table below might be necessary.

Consistence suitable for different uses of in-situ concrete	Use of concrete	Form of compaction	Consistence class
	Kerb bedding and backing	Tamping	S1
	Floors and hand placed pavements	Poker or beam vibration	S2
	Strip footings	Poker or beam vibration	S3
	Mass concrete	Poker or beam vibration	S3
	Foundations	Poker or beam vibration	S3
	Blinding	Poker or beam vibration	S3
	Normal reinforced concrete in slabs, beams, walls and columns	Poker or beam vibration and/or tamping	S3
	Pumped concrete		S3

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

New designated mix designs

	10mm		20mm	
S1 consistence	GEN 0 10mm	£119.05	GEN 0 20mm	£117.17
S2 consistence	GEN 3 10mm	£128.87	GEN 3 20mm	£124.09
	GEN 2 10mm	£126.08	GEN 2 20mm	£122.10
	GEN 1 10mm	£122.57	GEN 1 20mm	£118.15
	GEN 0 10mm	£120.55	GEN 0 20mm	£115.67
	FND2 10mm*	£144.55	FND2 20mm*	£136.63
S3 consistence	GEN 3 10mm*	£136.57	GEN 3 20mm*	£131.59
	GEN 3 10mm	£131.44	GEN 3 20mm	£126.09
	GEN 2 10mm	£127.58	GEN 2 20mm	£123.11
	GEN 1 10mm	£124.08	GEN 1 20mm	£119.13
	GEN 0 10mm	£122.08	GEN 0 20mm	£117.16
	FND2 10mm*	£144.70	FND2 20mm*	£138.15
*Pumpable Above prices are for PFA combinations Extra over for straight OPC £7.67/cu.m				
Special	EarlyStrength GEN0 for Kerb bedding & backing			
S1 Consistence	GEN 0 10mm	£142.95	GEN 0 20mm	£134.84

E&OE

To order ready-mixed concrete call our batching office

Tel: (01481) 241074

Fax: (01481) 242061

Standard price guide 1st August 2011

Sundries

Miscellaneous	Pigments	£2.49 nett per kg
	London bricks	£0.76 nett each
	Jumbo filling charge	£13.89 nett each
	Palletisation charge	£13.01 nett each
	Cube moulds, hire per day	£5.50 nett each

Cavity wall insulation

Kingspan thermawall TW 50	50 x 450 x 1200mm	£6.35 per m ²
Other sizes also available on request		

E&OE


To order all materials please call or
fax our sales and distribution office on

Tel: (01481) 250656
Fax: (01481) 250622

Standard price guide 1st August 2010

Hiab deliveries

Delivery rates will be split into 3 zones as outlined on the map below:



Delivery rates will be as follows:

Zone 1 deliveries - St Sampsons, Vale and St Peter Port - £51.75 per delivery

Zone 2 deliveries - Castel, St Andrews and St Martins - £75.04 per delivery

Zone 3 deliveries - St Saviours, Forest, St Peters and Torteval - £98.33 per delivery

Super saver delivery (multi-drop-off) - £25.88 per drop-off

If delivery time on site is more than 15 minutes, due to customer requesting materials are placed around the site, or the drop off point is not immediately accessible then waiting time will be charged at a rate of £12.94 per 15 minutes or part thereof. The customer will be asked to sign for waiting time on the delivery ticket.

E&OE

To order all materials please call or
fax our sales and distribution office on

Tel: (01481) 250656

Fax: (01481) 250622



A member of the Holcim Group