

<p>Aggregate Industries H&S dept Hulland Ward, Ashbourne, Derbyshire DE6 3ET</p>	<p>Safety Data Sheet Issue Date: January 2008</p>
<p>1. IDENTIFICATION OF THE SUBSTANCE</p>	<p>2. COMPOSITION / INFORMATION ON INGREDIENTS</p>
<p>Charcon Yorkstone</p> <p><u>Product description</u></p> <p>An attractive and hardwearing natural material, available as flag paving and paving setts in a range of natural colour variations.</p>	<p>Fine-grained sandstone, mean grain size 0.16 mm:</p> <ul style="list-style-type: none"> ▪ Quartz (68%) ▪ Plagioclase (1%) ▪ Potassic feldspar (15%) ▪ Mica (5%) ▪ Matrix (5%)
<p>3. HAZARDS IDENTIFICATION</p>	<p>4. FIRST AID MEASURES</p>
<p>There is a potential for respirable dust, including an element of respirable crystalline silica (quartz), to be released if the product is drilled, cut or accidentally broken up. This could pose a health hazard if inhaled over a prolonged period of time.</p> <p>The weight of the product could pose a health hazard if inappropriate manual handling techniques are employed.</p> <p>For further guidance see HSE Publications EH44 Dust: General Principles of Protection and Getting to Grips with Manual Handling: a Short Guide.</p>	<p>Not applicable</p>
<p>5. FIRE FIGHTING MEASURES</p>	<p>6. ACCIDENTAL RELEASE MEASURES</p>
<p>No fire or explosive hazard.</p>	<p><u>Personal precautions</u></p> <p>Wear a dust mask or respirator.</p> <p><u>Environmental measures</u></p> <p>No precautions required.</p> <p><u>Method of cleaning</u></p> <p>If possible, avoid dry sweeping, which generates dust. Vacuum dust where practical.</p>

Aggregate Industries H&S dept Hulland Ward, Ashbourne, Derbyshire DE6 3ET	Safety Data Sheet Issue Date: January 2008
7. HANDLING AND STORAGE	8. EXPOSURE CONTROLS/PERSONAL PROTECTION
<p><u>Handling</u></p> <p>The product should be handled in a manner that will minimise the generation of airborne dust.</p> <p>Manual handling of the product should be avoided so far as is reasonably practical. Where this is not possible, an assessment should be made, taking into account the load, environment, task, and individual capability and training. Always employ good lifting techniques.</p> <p><u>Storage</u></p> <p>No restrictions.</p>	<p><u>Workplace Exposure limits</u></p> <ul style="list-style-type: none"> ▪ Total Inhalable Nuisance Dust: 10.0 mg/m³ (WEL) ▪ Total Respirable Nuisance Dust: 4.0 mg/m³ (WEL) ▪ Respirable Crystalline Silica: 0.1 mg/m³ (WEL) <p>All are given as maximum concentrations and expressed as an 8 Hour Time Weighted Average (8 Hr TWA).</p> <p><u>Prevention measures</u></p> <p>Use dust extraction and containment where possible.</p> <p><u>Respiratory protection</u></p> <p>Dust masks or respirators should be worn during handling and use of the product to accord with the relevant WEL listed above, particularly during drilling and cutting activities.</p>
9. PHYSICAL & CHEMICAL PROPERTIES	
<p><u>Appearance</u></p> <p>Natural stone products</p> <p><u>Other chemical properties</u></p> <p>Not applicable</p>	
10. STABILITY AND REACTIVITY	11. TOXICOLOGICAL INFORMATION
<p><u>Conditions and materials to avoid</u></p> <p>Not applicable</p>	<p><u>Description of toxicological properties</u></p> <p>Natural stone dusts contain a wide range of particle types and the behaviour, deposition, fate of and response to any particular particle after entry into the human respiratory system depends on their nature and size. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung.</p>

Aggregate Industries H&S dept Hulland Ward, Ashbourne, Derbyshire DE6 3ET	Safety Data Sheet Issue Date: January 2008
12. ECOLOGICAL INFORMATION	13. DISPOSAL CONSIDERATIONS
<p>No environmental hazard</p>	<p><u>Handling of any residues/waste products</u></p> <p>As an inert material, an approved solid waste disposal or landfill site may be used. Do not burn shrink wrap or other packaging material.</p>
14. TRANSPORT INFORMATION	15. REGULATORY INFORMATION
<p><u>Special carriage precautions</u></p> <p>Not applicable</p>	<p>Not classified</p> <p>The following risk and safety phrases are, however, recommended:</p> <ul style="list-style-type: none"> ▪ R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation ▪ S22 Do not breathe dust
16. OTHER INFORMATION	
<p><u>Training advice</u></p> <p>Wear and use PPE Employ good manual handling techniques</p> <p><u>Recommended uses</u></p> <p>Industrial, domestic and public works</p> <p><u>Further information sources</u></p> <p>Aggregate Industries UK Limited</p> <p>Charcon and Bradstone Hulland Ward Ashbourne Derbyshire DE6 3ET</p> <p>Tel. (01335) 372222 Fax. (01335) 372223</p> <p><u>Sources of key data used to compile data sheet</u></p> <p>EH40 2005 Workplace Exposure Limits (supplementary amendment 01 October 2006) PPE Regulations 1992 Manual Handling Regulations 1992 (as amended) COSHH Regulations 2002 (as amended) COSHH (Amendment) Regulations 2004</p>	<p>LEGAL NOTICE</p> <p>The information contained in this Safety Data Sheet was considered the best available at the date of issue. However, no warranty is made or implied that the information is accurate or complete. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.</p>