

# CYCLE DEMARCATION KERB



PAS  
2080



BIM  
ENABLED

BES 6001  
Responsible Sourcing  
www.greenbookstore.com



Cycle Demarcation Kerb has been developed to clearly delineate cycle routes from the carriageway in towns, cities and urban environments.

## FEATURES

- ▶ Creation of a safe cycle route
- ▶ For use where space is at a premium
- ▶ One piece unit capable of withstanding vehicular impact
- ▶ Supplied in a wide range of finishes and accessories

## APPLICATIONS

Cycle Demarcation Kerb is for use in a range of applications including carriageways, footpaths, car park entrances, crossings, cycleways. Refer to technical services for advice on specific applications tel: 01335 372222.

## MANUFACTURING STANDARD

Cycle Demarcation Kerb is compliant to European Standard BS EN 1340. All Aggregate Industries products are manufactured in accordance with ISO with factory compliance to ISO 14001.

## PERFORMANCE

**STRENGTH:** The products are manufactured to meet the strength requirements of BS EN 1340.

**SLIP AND SKID RESISTANCE:** Cycle Demarcation Kerb conforms to the requirements of manufacturing standard BS EN 1340.

## COMPLIMENTARY PRODUCTS

Dutch Kerb, Eco CSK, BS Kerb, Specifier paving.



## CYCLE DEMARCATION KERB

Name	Size	Profile	Colour	Weight	Pack size	Dimensions A	Dimensions B	Dimensions C
Cycle Demarcation Kerb 13	125W x 255D x 914L	Angled	Eco Countryside / British Standard Grey	65 kg	18	255	125	13
Cycle kerb reduced depth	125W x 150D x 914L	Angled	Eco Countryside / British Standard Grey	38 kg	18	150	125	13
Cycle kerb to Square Transition LH	125W x 255-223D x 914L	Angled	Eco Countryside / British Standard Grey	62 kg	1	255-223	125	13-0
Cycle kerb to Square Transition RH	125W x 255-223D x 914L	Angled	Eco Countryside / British Standard Grey	62 kg	1	255-223	125	13-0
Cycle kerb to HB2 Transition LH	125W x 255-162D x 914L	Angled	Eco Countryside / British Standard Grey	53 kg	1	255-162	125	13-13
Cycle kerb to HB2 Transition RH	125W x 255-162D x 914L	Angled	Eco Countryside / British Standard Grey	53 kg	1	255-162	125	13-13
Cycle kerb to BN3 Transition LH	125W x 255-248D x 914L	Angled	Eco Countryside / British Standard Grey	65 kg	1	255-248	125	13-0
Cycle kerb to BN3 Transition RH	125W x 255-248D x 914L	Angled	Eco Countryside / British Standard Grey	65 kg	1	255-248	125	13-0
Cycle Demarcation Kerb 30	125W x 175D x 914 L	Angled	Eco Countryside / British Standard Grey	42 kg	18	175	125	30
Cycle Kerb to Square Transition LH	125W x 175 -125D x 914 L	Angled	Eco Countryside / British Standard Grey	38 kg	1	175-125	125	30-0
Cycle Kerb to Square Transition RH	125W x 175 -125D x 914 L	Angled	Eco Countryside / British Standard Grey	38 kg	1	175-125	125	30-0

## SUSTAINABILITY AND LOCAL SOURCING

### ENERGY USE AND GREENHOUSE GAS EMISSIONS:

Aggregate Industries is at the forefront of sustainability and has committed to reducing both energy and greenhouse gas intensity 5% year-on-year (18.5% total improvement by 2020).

**RECYCLABLE:** 100% of the product can be recycled thus reducing the amount of material that is sent to landfill.

**MANUFACTURING LOCATION:** Produced in the UK, with locally sourced materials under strict environmental and social legislation, for local supply.

**RESPONSIBLE SOURCING:** Aggregate Industries is the first company in the world to achieve accreditation to the BES 6001 Framework Standard for the Responsible Sourcing of Construction Products. Aggregate Industries has achieved a 'Very Good' rating for major product groups. The BES 6001 standard assesses:

- ▶ Quality management
- ▶ Environmental management
- ▶ Health and safety management
- ▶ A range of social and environmental issues

## LIFE

Life is our range of sustainable products and services. For more information please visit [www.aggregate.com/life](http://www.aggregate.com/life)

## KEY AGGREGATE AND RECYCLED CONTENT

Cycle Demarcation Kerb is manufactured using high quality aggregates. Please refer to technical services for individual material content.

## POLICIES

Aggregate Industries' policies on the environment and community, health and safety and sustainable solutions for different product applications can be viewed on our website [www.aggregate.com](http://www.aggregate.com)

## INSTALLATION STANDARD

For specific guidance refer to Aggregate Industries technical services on 01335 372222.

## MAINTENANCE AND CLEANING

For specific guidance refer to Aggregate Industries technical services on 01335 372222.

## COSHH DATA

Full COSHH data is available on request. Please call technical services on 01335 372222.

## TECHNICAL SUPPORT

Detailed guidance and assistance with the preparation of specifications is available.

**For further information, please refer to our technical services on 01335 372222.**

\*Ratings based upon generic green guide values (2009) supplied by BRE Global Ltd, [www.thegreenguide.co.uk](http://www.thegreenguide.co.uk)

The information contained within this publication was accurate at time of production. However, Aggregate Industries reserves the right to introduce modifications or changes to detail at any time without notice. No charge is levied for this publication or advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either indirectly or directly arising from the use of its products.

### Charcon

Aggregate Industries, Hlland Ward,  
Ashbourne, Derbyshire DE6 3ET

Tel: +44 (0) 1335 372 222

Fax: +44 (0) 1335 370 074

Email: [landscaping@aggregate.com](mailto:landscaping@aggregate.com)

Web: [www.charcon.com](http://www.charcon.com)